

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: BETHANY CHILD DEVELOPMENT CENTER	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 8/20/2026
Facility Address: 714 CEDAR STREET, MONTGOMERY, AL 36106, Montgomery	Licensee: BETHANY SDA CHILD DEVELOPMENT CENTER	Telephone #: (334) 265-5521
Ages: 6 Weeks to 12 Years	Director (if applicable): SONJA LAVAL MCCARDEN	Capacity: 90 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Children younger than 2 ½ grouped separately, Inspection Form	8/20/2026
Comments: On the playground.	
Per video footage, on August 5th, 2026, a 7-month-old child was left unattended by staff (seatbelt not secure) in a highchair and fell.,	8/20/2026
Ad Hoc	
Comments: NA	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before X, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Sonja Val McCarden

Signature of Facility Representative

8/20/2026

Date

JESSICA VICE

08/20/2026

**Signature of DHR Licensing
Representative**

Date

COPIES TO: _____ Center _____