

**ALABAMA DEPARTMENT OF HUMAN RESOURCES  
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A- IDENTIFYING INFORMATION**

|                                                                     |                                                                                                                                                   |                                                            |
|---------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------|
| Facility Name:<br>KIM'S TENDER CARE LEARNING<br>CENTER              | Type of Facility : Center [X]<br>Day [X]                      OST [ ]<br>Night [ ]                      Family [ ]<br>University [ ]<br>Group [ ] | Date of Visit:<br>8/21/2026                                |
| Facility Address:<br>22774 HWY 72 E, ATHENS, AL 35613,<br>Limestone | Licensee:<br>KIM'S TENDER CARE<br>LEARNING INC                                                                                                    | Telephone #:<br>(256) 232-7337                             |
| Ages:<br>6 Weeks to 12 Years                                        | Director (if applicable):<br>PAULA ARMSTRONG                                                                                                      | Capacity:<br>89            /    NA<br>Day            Night |

**SECTION B - DEFICIENCY INFORMATION**

| <u>Performance Standard Deficiency</u><br><i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>                           | Date Corrected by<br>Licensee |
|-------------------------------------------------------------------------------------------------------------------|-------------------------------|
| <b>Deficiency Summary</b>                                                                                         |                               |
| On August 21, 2026, in the 18-to-24-month classroom there were five children watching tv., Ad Hoc<br>Comments: NA | 8/21/2026                     |
| On August 21, 2026, in the 24-to-36-month classroom lighting was not adequate., Ad Hoc<br>Comments: NA            | 8/21/2026                     |

**INSTRUCTIONS TO LICENSEE:** Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before   N/A  , as verification that deficiencies have been corrected.

**NOTICE:** Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Paula Armstrong

*Signature of Facility Representative*

LATONYA JAMES

*Signature of DHR Licensing Representative*

08/21/2026

Date

8/21/2026

Date

COPIES TO: Paula Armstrong