

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: MISS DEANNA'S CHILDCARE	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 8/5/2026
Facility Address: 1745 E. UNIVERSITY DRIVE, AUBURN, AL 36830, Lee	Licensee: BDB&N, LLC	Telephone #: (334) 821-0066
Ages: 6 Weeks to 12 Years	Director (if applicable): NICOLE HUGGINS RICE	Capacity: 143 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Center free of apparent hazards, Inspection Form Comments: In the preschool 1 classroom there was peeling paint.	8/9/2026
Failed - Outdoor play area and equipment are free of apparent hazardous conditions, Inspection Form Comments: Around the building the black boarder is torn.	8/9/2026
Failed - Medical, Staff Checklist Comments: has expired	8/14/2026
Failed - Medical, Staff Checklist Comments: has expired	8/14/2026
Failed - Ongoing Training, Staff Checklist Comments: missing	8/14/2026
Failed - Health and Safety Training, Staff Checklist Comments: missing	8/14/2026
In the preschool IV classroom, there was peeling paint., Ad Hoc Comments: NA	8/9/2026
In the preschool IV classroom, there were a broken board around the door., Ad Hoc Comments: NA	8/9/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Nicole H. Rice

Signature of Facility Representative

8/24/26

Date

SHYNECSA BLEVINS

Signature of DHR Licensing Representative

Date

COPIES TO: _____