

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: PINEY GROVE BAPTIST LEARNING CENTER	Type of Facility : Center ☒ Day ☒ OST ☐ Night ☐ Family ☐ University ☐ Group ☐	Date of Visit: 8/11/2026
Facility Address: C, TUSCALOOSA, AL 35404, Tuscaloosa	Licensee: PINEY GROVE BAPTIST LEARNING CENTER	Telephone #: (205) 556-7447
Ages: 6 Weeks to 12 Years	Director (if applicable): SHELINA JOHNSON	Capacity: 64 / NA Day Night

SECTION B - DEFICIENCY INFORMATION


<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	<u>Date Corrected by</u> <u>Licensee</u>
Deficiency Summary	
Failed - Outdoor play area and equipment are free of apparent hazardous conditions, Inspection Form Comments: The black liner under the mulch is exposed	7/27/2026
Failed - Outdoor play area enclosed by a fence or wall at least 4 feet in height, Inspection Form Comments: One portion of the fence	7/27/2026
Failed - Gates secured, Inspection Form Comments: One part of the gate on the playground has fallen due to a large tree on the gate	7/27/2026
Failed - Outdoor play area free of apparent hazardous conditions:, Inspection Form Comments: One broken door (from a farmhouse) on the playground Weeds are ankle length inside the infant playground	7/27/2026
Failed - One handwashing sink with warm running water soap paper towels in each room where children are diapered, Inspection Form Comments: water not running	7/27/2026
Failed - Time outdoors daily when weather permits, Inspection Form Comments: Incomplete	7/20/2026
Failed - Cries/signs of distress investigated immediately, Inspection Form Comments: Incomplete	7/20/2026
Failed - Changing area cleaned and disinfected, Inspection Form	7/20/2026

Comments: incomplete	
Failed - Each child's hands washed after diapering, Inspection Form	7/20/2026
Comments: incomplete	
Failed - Formula provided by parent, must be labeled, ready to feed, and refrigerated, Inspection Form	7/20/2026
Comments: not labeled	
Failed - Infants held for bottle feeding, Inspection Form	7/20/2026
Comments: incomplete	
Failed - No bottles propped, Inspection Form	7/20/2026
Comments: Bottle propped on highchair	
Failed - Drinking water without added sweeteners or carbonation readily available throughout the day, Inspection Form	7/20/2026
Comments: incomplete	
Failed - Center director meets qualifications, Inspection Form	7/27/2026
Comments: Trainings	
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form	7/20/2026
Comments: incomplete	
Failed - Portions of food suited to child's needs; second portions available, Inspection Form	7/20/2026
Comments: Toddlers portion size is the same as preschool	
Failed - Ongoing Training, Staff Checklist	7/20/2026
Comments: incomplete	
Failed - Health and Safety Training, Staff Checklist	7/20/2026
Comments: incomplete	
Failed - Suitability Determination (Every 5 years), Staff Checklist	7/20/2026
Comments: incomplete	
Failed - Ongoing Training, Staff Checklist	7/20/2026
Comments: incomplete	
Failed - Health and Safety Training, Staff Checklist	7/20/2026
Comments: incomplete	
Failed - Suitability Determination (Every 5 years), Staff Checklist	7/20/2026
Comments: expired	
Failed - Ongoing Training, Staff Checklist	7/20/2026
Comments: incomplete	
Failed - Health and Safety Training, Staff Checklist	7/20/2026
Comments: incomplete	
Failed - Shelving for equipment and supplies/anchored, Classroom Checklist / Toddlers 1	7/20/2026
Comments: Shelving not anchored throughout the center	
Failed - Hazardous substances locked, Classroom Checklist / Toddlers 3	7/20/2026
Comments: TV not anchored	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before

_____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative

8.25.26

Date

BRANDUL PERINE

Signature of DHR Licensing Representative

Date

COPIES TO: _____