

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A - IDENTIFYING INFORMATION

Facility Name: AUBURN DAY CARE CENTER - BOYKIN CENTER	Type of Facility : Center ☒ Day ☒ OST ☐ Night ☐ Family ☐ University ☐ Group ☐	Date of Visit: 6/26/2026
Facility Address: 410 BOYKIN STREET, AUBURN, AL 36830, Lee	Licensee: AUBURN DAY CARE CENTERS, INC	Telephone #: (334) 501-2981
Ages: 6 Weeks to 12 Years	Director (if applicable):	Capacity: 109 NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Posted in a conspicuous place, Inspection Form Comments: missing	7/10/2026
Failed - Vehicle safety check done annually, signed by certified mechanic, dated, and filed in center, Inspection Form Comments: Documentation not up-to-date	7/10/2026
Failed - Suitability Determination (Every 5 years), Staff Checklist Comments: expired	7/10/2026
Failed - Ongoing Training, Staff Checklist Comments: missing	7/10/2026
Failed - Ongoing Training, Staff Checklist Comments: missing/expired	7/10/2026
Failed - Health and Safety Training, Staff Checklist Comments: expired	7/10/2026
Failed - Ongoing Training, Staff Checklist Comments: missing	7/10/2026
Failed - Health and Safety Training, Staff Checklist Comments: missing	7/10/2026
Failed - Suitability Determination (Every 5 years), Staff Checklist Comments: expired	7/10/2026
Failed - Ongoing Training, Staff Checklist Comments: missing 1 hour	7/10/2026
Failed - Health and Safety Training, Staff Checklist Comments: missing	7/10/2026
Failed - Health and Safety Training, Staff Checklist	7/10/2026

Comments: missing	
Failed - Suitability Determination (Every 5 years), Staff Checklist	7/10/2026
Comments: expired	
Failed - Health and Safety Training, Staff Checklist	7/10/2026
Comments: missing	
Failed - Ongoing Training, Staff Checklist	7/10/2026
Comments: missing 8 hours	
Failed - Health and Safety Training, Staff Checklist	7/10/2026
Comments: missing	
Failed - Health and Safety Training, Staff Checklist	7/10/2026
Comments: missing	
Failed - Ongoing Training, Staff Checklist	7/10/2026
Comments: missing	
Failed - Health and Safety Training, Staff Checklist	7/10/2026
Comments: expired	
Failed - Suitability Determination (Every 5 years), Staff Checklist	7/10/2026
Comments: expired	
Failed - Ongoing Training, Staff Checklist	7/10/2026
Comments: missing 6 hours	
Failed - Health and Safety Training, Staff Checklist	7/10/2026
Comments: expired	
Failed - Suitability Determination (Every 5 years), Staff Checklist	7/10/2026
Comments: missing	
Failed - Ongoing Training, Staff Checklist	7/10/2026
Comments: missing 2 hours	
Failed - Diapering area, Classroom Checklist / Toddler II/ Room D	7/10/2026
Comments: missing	
The OSR playground does not have a shade structure., Ad Hoc	7/10/2026
Comments: NA	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Shynea Blevins
Signature of Facility Representative

8/27/26
Date

SHYNECSA BLEVINS

Signature of DHR Licensing Representative

Date