

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: ANGEL FACES PRESCHOOL	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 8/28/2026
Facility Address: 2101 BIRMINGHAM AVENUE, JASPER, AL 35501, Walker	Licensee: SANDRA GARRISON	Telephone #: (205) 295-2273
Ages: 0 Weeks to 11 Years	Director (if applicable): SANDRA GARRISON	Capacity: 90 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
CHILD ABUSE AND NEGLECT, Allegation	6/30/2026
Comments:	
On 05/13/26, per staff statement on or before 05/07/26, a staff was witnessed using inappropriate discipline in handling a child in the Toddler Classroom. , Ad Hoc	6/30/2026
Comments: NA	
On 05/13/26, per staff statement on or before 05/07/26, a staff was witnessed using rough and harsh handling of a child in the Toddler Classroom., Ad Hoc	6/30/2026
Comments: NA	
According to staff statement, the facility failed to comply with their operating policies in reference to discipline children., Ad Hoc	5/29/2026
Comments: NA	
Per staff statement on 05/13/26, the facility is telling staff to make false statements to the Department. , Ad Hoc	5/19/2026
Comments: NA	
In the Preschool Classroom (4-5 yrs), there is a vacuum cleaner accessible to children. , Ad Hoc	8/18/2026
Comments: NA	
In the Infant Classroom (6weeks- 18mos), there is not adequate lighting during naptime. , Ad Hoc	8/18/2026
Comments: NA	
In the Infant Classroom (6weeks -18mos), there is a plug without a secure protective cover (cover is tapped and peeling off)., Ad Hoc	8/19/2026

Comments: NA	
In the Infant Classroom (6weeks- 18mos), there are hazards not under lock and key / combination lock., Ad Hoc	8/18/2026
Comments: NA	
On the playground there are broken toys., Ad Hoc	8/31/2026
Comments: NA	
One staff member CAN has expired, Ad Hoc	Pending Correction
Comments: NA	
The Preschool Classroom (3's) is out of ratio due staff member's expired CAN., Ad Hoc	8/18/2026
Comments: NA	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Kristy Chappell
Signature of Facility Representative

8/31/2026

 Date

SHUNDR NEVELS
Signature of DHR Licensing Representative

 Date

COPIES TO: _____