

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION


Facility Name: BUILDING BLOCKS CDC	Type of Facility : Center ☒ Day ☒ OST ☐ Night ☐ Family ☐ University ☐ Group ☐	Date of Visit: 8/6/2026
Facility Address: 1065 S STATE HWY 605, TAYLOR, AL 36301, Houston	Licensee: DMJ ENTERPRISES INC.	Telephone #: (334) 792-3083
Ages: 2 Years to 12 Years	Director (if applicable): DANNA JACOBS	Capacity: 70 / NA Day Night

SECTION B. - DEFICIENCY INFORMATION

Performance Standard Deficiency <i>*HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary Compliance through documents submitted to ARISE 9/1/26	
Failed - Health and Safety Training, Staff Checklist Comments: There was not verification of training.	9/1/2026
Failed - Ongoing Training, Staff Checklist Comments: There is no verification for training.	8/14/2026
Failed - Health and Safety Training, Staff Checklist Comments: There is no verification of training.	8/14/2026
Failed - Ongoing Training, Staff Checklist Comments: There is no verification of training.	9/1/2026
Failed - Ongoing Training, Staff Checklist Comments: There is no verification of training.	9/1/2026
Failed - Health and Safety Training, Staff Checklist Comments: There is no verification of training.	9/1/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before Compliance, as verification that deficiencies have been corrected.


NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative

JAY DALTON

Signature of DHR Licensing Representative



Date

9/1/26
Date

COPIES TO: _____