

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A - IDENTIFYING INFORMATION

Facility Name: LITTLE ANGELS CHILDCARE LLC	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 9/3/2026
Facility Address: 205 EXECUTIVE PARK DRIVE, DOTHAN, AL 36303, Houston	Licensee: LITTLE ANGELS CHILDCARE LLC	Telephone #: (334) 803-0106
Ages: 4 Weeks to 16 Years	Director (if applicable): LEONARD TATE	Capacity: 41 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	<u>Date Corrected by</u> Licensee <u>9/3/20</u>
Deficiency Summary (9/3/26) There is exposed cement around the bottom of a pole on the playground it is by the red metal boat., Ad Hoc Pending Correction Comments: NA	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 9/17/26, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative

JAY DALTON

9/3/2026

Date

9/3/26

Signature of DHR Licensing Representative

Date

COPIES TO: _____