


**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT
SECTION A- IDENTIFYING INFORMATION**

Facility Name: DISCOVERY KIDZ	Type of Facility : Center [] Day [X] OST [] Night [] Family [X] University [] Group []	Date of Visit: 7/30/2026
Facility Address: 108 BEDFORD STREET, HUEYTOWN, AL 35023, Jefferson	Licensee: AMENAH CASEY	Telephone #: (205) 515-4496
Ages: 3 Years to 5 Years	Director (if applicable): NA	Capacity: 5 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Deficiency Report amended	
Failed - Medical, Staff Checklist	8/25/2026
Comments: On 7.30/2026, substitute has an expired medical	
Failed - Suitability Determination (Every 5 years), Staff Checklist	9/3/2026
Comments: On 7.30/2026, household member does not have Suitability.	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before NA, as verification that deficiencies have been corrected. **NOTICE:** Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.


Signature of Facility Representative

9/3/26
Date

CYNTHIA BROWN

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: DISCOVERY KIDZ	Type of Facility : Center [] Day [X] OST [] Night [] Family [X] University [] Group []	Date of Visit: 7/30/2026
Facility Address: 108 BEDFORD STREET, HUEYTOWN, AL 35023, Jefferson	Licensee: AMENAH CASEY	Telephone #: (205) 515-4496
Ages: 3 Years to 5 Years	Director (if applicable): NA	Capacity: 5 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Deficiency Report amended	
Failed - Medical, Staff Checklist Comments: On 7.30/2026, substitue has an expired medical	8/25/2026
Failed - Suitability Determination (Every 5 years), Staff Checklist Comments: On 7.30/2026, household member does not have Suitability.	9/3/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before NA, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Signature of Facility Representative

CYNTHIA BROWN

9/3/26

Date

9/3/2026

Signature of DHR Licensing Representative

Date

COPIES TO: Licensee