

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: EAGLES ACADEMY LLC	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 9/4/2026
Facility Address: 2330 MONTGOMERY HIGHWAY, DOTHAN, AL 36303, Houston	Licensee: EAGLES ACADEMY LLC	Telephone #: (334) 500-0974
Ages: 2 Years to 12 Years	Director (if applicable): BETTY DICKENS	Capacity: 59 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: All staff are not enrolled in the Alabama Pathway registry.	Pending Correction
Failed - Child care workers/teachers/subs meet qualification and have 12 hours of training within 30 days of employment, Inspection Form Comments: There is staff that does not have Ongoing training.	Pending Correction
Failed - Medical exam and TB test on file at time of employment, Inspection Form Comments: Not all staff have a medical exam.	Pending Correction
Failed - Immunization Certificate, Child Checklist Comments: expired	Pending Correction
9/4/26 - There are staff that do not have references., Ad Hoc Comments: NA	Pending Correction
9/4/26 - There are staff that do not have a photo ID., Ad Hoc	Pending Correction

Comments: NA

9/4/26 - There are staff that do not have verification of reading standards., Ad Hoc
Comments: NA

Pending Correction

9/4/26 - There are staff that do not have verification of education., Ad Hoc
Comments: NA

Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 9/18/26, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Betty Dickens
Signature of Facility Representative

9/8/26
Date

JAY DALTON

9/4/26

Signature of DHR Licensing Representative

Date

COPIES TO: Betty Dickens