

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS
DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: ELC LEARNING CENTER
Type of Facility : Center ☒ Date of Visit: 9/4/2026
Day ☒ OST ☐
Night ☒
Family ☐
University ☐
Group ☐

Facility Address: 3442 EASTDALE CIRCLE,
MONTGOMERY, AL 36117,
Montgomery
Licensee: COURTNEY BYNUM
Telephone #: (334) 593-7133
Ages: 0 Weeks to 12 Years/0 Days to 0 Days
Director (if applicable): COURTNEY BYNUM
Capacity: 78 /39
Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency **Date Corrected by**
HAZARDS MUST BE CORRECTED IMMEDIATELY* **Licensee**

Deficiency Summary

The tv is on in the 24m-26m classroom., Ad Hoc 9/4/2026
Comments: NA

There is a plug cover missing in the 24m-36m classroom. , Ad Hoc 9/4/2026
Comments: NA

n/a, as verification that deficiencies have been corrected.

Performance Standards.

Signature of Facility Representative

Date _____

09-04-2026

Date _____

COPIES TO: director