

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: CAHABA MEDICAL CARE EARLY LEARNING	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 9/9/2026
Facility Address: 217 QUAIL LANE, CENTREVILLE, AL 35042, Bibb	Licensee: CAHABA MEDICAL CARE	Telephone #: (205) 293-4673
Ages: 6 Weeks to 6 Years	Director (if applicable): JESSICA KINARD	Capacity: 28 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
SUPERVISION AT ALL TIMES, Allegation Comments: Per multiple witness statements on 09/09/2026, staff are allowed to use cell phones and laptops during naptime.	Pending Correction
09/09/2026, In the kitchen area, there is dish detergent not under lock and key or combination lock., Ad Hoc Comments: NA	Pending Correction
09/09/2026, In the infant room, there are two (2) four (4) month old infants asleep in an infant sleeping bag/sack causing restraints., Ad Hoc Comments: NA	Pending Correction
09/09/2026, In the infant room, the milk containers/bottles are not labeled with the child's name., Ad Hoc Comments: NA	Pending Correction
09/09/2026, In the infant room, the lightening is not adequate for the infants to be completely seen during naptime., Ad Hoc Comments: NA	Pending Correction

09/09/2026 In the infant room, there is medication (Destin & Cough), lysol, shaving cream not under lock & key or combination lock., Ad Hoc Comments: NA	Pending Correction
09/09/2026, In the infant room, the Authorization of Medication form is missing a date., Ad Hoc Comments: NA	Pending Correction
09/09/2026, In the preschool classroom, there is an unlabeled spray bottle., Ad Hoc Comments: NA	Pending Correction
09/09/2026, In the preschool classroom, there is two(2) cans of lysol not under lock & key or combination., Ad Hoc Comments: NA	Pending Correction
09/09/2026, The employee restroom is not locked which contains lysol, disinfectant wipes and other items which say "KEEP OUT OF REACH OF CHILDREN.", Ad Hoc Comments: NA	Pending Correction
09/09/2026, The menu for meals and snacks are not posted., Ad Hoc Comments: NA	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 9/25/2026, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative

AMY HORN

Signature of DHR Licensing Representative

09/09/2026
Date

09/09/2026
Date

COPIES TO: DIRECTOR/OWNER