

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: KLA SCHOOLS OF HUNTSVILLE	Type of Facility : Center ☒ Day ☒ OST ☐ Night ☐ Family ☐ University ☐ Group ☐	Date of Visit: 9/10/2026
Facility Address: 1699 OLD DRY CREEK RD, HUNTSVILLE, AL 35806, Madison	Licensee: KLA HUNTSVILLE, LLC	Telephone #: (256) 837-5266
Ages: 6 Weeks to 5 Years	Director (if applicable): BRANDI SMITH	Capacity: 119 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	<u>Date Corrected by Licensee</u>
Deficiency Summary Failed - Outdoor play area free of apparent hazardous conditions; Inspection Form Comments: Black liner coming from under the sand	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative

BRANDUL PERINE



Date

Signature of DHR Licensing Representative

Date