

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: BRENDA'S DEV AND LEARNING HOME DAYCARE	Type of Facility : Center [] Day [X] OST [] Night [X] Family [X] University [] Group []	Date of Visit: 7/30/2026
Facility Address: 2828 GREENBRIAR RD, MONTGOMERY, AL 36111, Montgomery	Licensee: TANGERLERIA RONEY	Telephone #: (334) 616-5783
Ages: 6 Weeks to 12 Years/1 Years to 5 Years	Director (if applicable):	Capacity: 5 / 4 Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
<u>ALL DEFICIENCIES CORRECTED THROUGH ARISE ON 09/10/2026</u>	
Failed - Outdoor play area and equipment free from apparent hazards, Inspection Form Comments: Tall Grass	8/4/2026
Failed - Most recent licensing evaluation posted, Inspection Form Comments: NOT POSTED	8/13/2026
Failed - Suitability Determination (Every 5 years), Staff Checklist Comments: MISSING DOCUMENTATION/WRONG LETTER	9/4/2026
Failed - Health and Safety Training, Staff Checklist Comments: MISSING MANDATED REPORTER	8/12/2026
Failed - Application, Staff Checklist Comments: MISSING SIGNATURE PAGE	8/12/2026
Failed - Suitability Determination (Every 5 years), Staff Checklist Comments: MISSING DOCUMENTATION/WRONG LETTER	9/10/2026

Failed - Health and Safety Training, Staff Checklist

8/12/2026

Comments: MISSING DOCUMENTATION/MANDATED REPORTER

TR

07/30/2026 The Home Rules & Policies are incomplete., Ad Hoc


TR

8/4/2026

Comments: NA

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before N/A, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.


Signature of Facility Representative

09/10/2026

Date

AMY HORN

Signature of DHR Licensing Representative

09/10/2026

Date

COPIES TO: LICENSEE