

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: LITTLE HOUSE FOR LITTLE PEOPLE	Type of Facility : Center ☒ Day ☒ OST ☐ Night ☐ Family ☐ University ☐ Group ☐	Date of Visit: 9/10/2026
Facility Address: 813 8th St N, Bessemer, AL 35020, Jefferson	Licensee: SUSIE STURDIVANT	Telephone #: (205) 481-9650
Ages: 18 Months to 11 Years	Director (if applicable): SUSIE STURDIVANT	Capacity: 104 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Amended license to remove nighttime care and adjusted ages to toddler (18 months) - 11 years.	
Failed - Health and Safety Training, Staff Checklist Comments: Missing	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: Missing	Pending Correction
Failed - Health and Safety Training, Staff Checklist Comments: Missing	Pending Correction
Failed - *Non-toxic playdough, Classroom Checklist / Sunny Sprouts Comments: Missing	Pending Correction
Failed - *Colorful pictures and posters, Classroom Checklist / Sunny Sprouts Comments: Missing	Pending Correction
Failed - *Non-toxic finger-paints in primary colors, Classroom Checklist / Sunny Sprouts Comments: Missing	Pending Correction

Failed - *Doll clothes and blankets, Classroom Checklist / Sunny Sprouts Pending Correction
Comments: Missing

Failed - *Dress-up clothes, Classroom Checklist / Sunny Sprouts Pending Correction
Comments: Missing

Failed - Posted Daily schedule w/ 60-90 minutes of active play, Pending Correction
Classroom Checklist / Sunny Sprouts
Comments: Missing

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 9/24/26, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Signature of Facility Representative

ARIANN CHARITY

Date

9/10/26

Signature of DHR Licensing Representative

Date

COPIES TO: _____