

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: KIDDY CITY	Type of Facility : Center [X] Day [X] OST [] Night [X] Family [] University [] Group []	Date of Visit: 9/11/2026
Facility Address: 118 BROOKWOOD ROAD EAST, MIDFIELD, AL 35228, Jefferson	Licensee: KIDDY CITY	Telephone #: (205) 438-6275
Ages: 6 Weeks to 13 Years/13 Weeks to 13 Years	Director (if applicable): CHANETTA CHAVERS	Capacity: 75 / 45 Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: On 9/11/26, all staff were not enrolled in Alabama Pathways.	Pending Correction
Failed - Suitability Determination (Every 5 years), Staff Checklist Comments: On 9/11/26, the staff's suitability was expired.	Pending Correction
Failed - Preadmission Form, Child Checklist Comments: On 9/11/26, parent signatures were missing on the form.	Pending Correction
Failed - Hazardous substances locked, Classroom Checklist / SUNSHINE Comments: On 9/11/26, a staff person's purse was not locked up.	9/11/2026
Failed - Medication locked, Classroom Checklist / SUNSHINE Comments: On 9/11/26, diaper rash cream was in a child's cubby.	9/11/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 9/25/26, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Signature of Facility Representative

AJOLA MCGHEE

Date

9/11/26

Signature of DHR Licensing Representative

Date

COPIES TO: ____ Center _____