

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: SOUTH SHELBY EARLY LEARNING CENTER PRE-K		Director (if applicable): WENDY PIERCE		Ages: 10 Years
License: WENDY PIERCE		Telephone #: (205) 690-8180		Facility Address: 1734 14TH STREET, CALERA, AL, 35040, Shelby
Date of Visit: 11/3/2025		Type of Facility : Center [X] Day [X] Night [] OST [] Family [] University [] Group []		Capacity: 54 / NA Day / Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*		Date Corrected by Licensee
Deficiency Summary Failed - Required ratios maintained at all times, Inspection Form Comments: classrooms out of ratio due to staff not having a CAN form Failed - 4 years up to school age 1 to 18, Inspection Form Comments: ratios not met due to staff not having a CAN form Failed - 2½ and older 1 to 36, Inspection Form Comments: ratios not met due to staff not having a CAN form Failed - Two staff with infant-child CPR and first aid present during all hours of operation, Inspection Form Comments: Two staff not present with First Aid/CPR Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: some staff not enrolled in the Alabama Pathway's Professional Development registry Failed - Inactive files maintained separately, Inspection Form Comments: Inactive children files filed with active files Failed - Parents provided with information on influenza annually, Inspection Form Comments: There is no evidence information on influenza is provided to parents annually Failed - Parents provided information on child development and children's health annually, Inspection Form Comments: There is no evidence information on child development		