

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION


Facility Name: ARCHWAY ACADEMY	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 9/15/2026
Facility Address: 1302 Main Ave , Northport , AL 35476, Tuscaloosa	Licensee: SHANQUAIL HORTON ARCHIBALD	Telephone #: (205) 561-7724
Ages: 30 Months to 12 Years	Director (if applicable):	Capacity: 31 , NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary Per a video reviewed by the Department Representative on 9/15/2026, an incident that occurred on 9/4/2026, was observed in which a staff member grabbed a child by one arm and physically guided her to the restroom by her shirt.	


INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.


Signature of Facility Representative

BRANDUL PERINE

Signature of DHR Licensing


Date

Date