

ALABAMA DEPARTMENT OF HUMAN RESOURCES CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: YWCA CHILD DEVELOPMENT CENTER	Type of Facility : Center ☒ Day ☒ OST ☐ Night ☒ Family ☐ University ☐ Group ☐	Date of Visit: 9/15/2026
Facility Address: 309 23RD STREET NORTH, BIRMINGHAM, AL 35203, Jefferson	Licensee: YWCA CENTRAL ALABAMA	Telephone #: (205) 322-9922
Ages: 6 Weeks to 6 Years/6 Weeks to 6 Years	Director (if applicable): NAVIE EASON	Capacity: 110 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary QUALIFICATIONS OF STAFF, Allegation Comments: On 9/15/26, there is a staff person working at the center without a suitability letter.	
	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 9/29/26, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Signature of Facility Representative

AJOIA MCGHEE

Date _____

9/15/26

Signature of DHR Licensing Representative

Date _____

COPIES TO: Center