

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: CULTURAL ARTS HEAD START CENTER	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 9/15/2026
Facility Address: 1400 AARON STREET, MONTGOMERY, AL 36108, Montgomery	Licensee: MONTGOMERY COMM ACTION COMM & COMM. DEV	Telephone #: (334) 386-4520
Ages: 3 Years to 5 Years	Director (if applicable): DEMETRIUS KEMP	Capacity: 54 , NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - Outdoor play area and equipment are free of apparent hazardous conditions, Inspection Form Comments: Hazards (mushrooms) present on the playground	Pending Correction
Failed - Two staff with infant-child CPR and first aid present during all hours of operation, Inspection Form Comments: 2 staff with infant child CPR and first aid not present during all hours of operation	Pending Correction
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: Some staff not enrolled in the Alabama Pathway's Professional Development.	Pending Correction
Failed - Any incident in which the health, welfare, or safety of a child is at risk, Inspection Form Comments: An incident on September 1, 2026 was not reported to the Department	Pending Correction
Failed - Verification of Education, Staff Checklist Comments: missing	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: missing	Pending Correction
Failed - Health and Safety Training, Staff Checklist Comments: missing	Pending Correction
Failed - Medical, Staff Checklist	Pending Correction

Comments: expired 8/26	
Failed - Ongoing Training, Staff Checklist	Pending Correction
Comments: missing	
Failed - Health and Safety Training, Staff Checklist	Pending Correction
Comments: missing	
Failed - Ongoing Training, Staff Checklist	Pending Correction
Comments: missing	
Failed - Health and Safety Training, Staff Checklist	Pending Correction
Comments: missing	
Failed - Ongoing Training, Staff Checklist	Pending Correction
Comments: missing	
Failed - Health and Safety Training, Staff Checklist	Pending Correction
Comments: missing	
Failed - Verification of Education, Staff Checklist	Pending Correction
Comments: missing	
Failed - Ongoing Training, Staff Checklist	Pending Correction
Comments: missing	
Failed - Health and Safety Training, Staff Checklist	Pending Correction
Comments: missing #11	
Failed - Ongoing Training, Staff Checklist	Pending Correction
Comments: missing	
Failed - CA/N Clearance Form (Every Five Years), Staff Checklist	Pending Correction
Comments: missing	
Failed - Ongoing Training, Staff Checklist	Pending Correction
Comments: missing	
Failed - Health and Safety Training, Staff Checklist	Pending Correction
Comments: missing	
Failed - Verification of Education, Staff Checklist	Pending Correction
Comments: missing	
Failed - Ongoing Training, Staff Checklist	Pending Correction
Comments: missing	
Failed - Health and Safety Training, Staff Checklist	Pending Correction
Comments: missing	
Failed - Ongoing Training, Staff Checklist	Pending Correction
Comments: missing	
Failed - Health and Safety Training, Staff Checklist	Pending Correction
Comments: missing	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.


NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.




Signature of Facility Representative

BRIDGETTE SMITH

**Signature of DHR Licensing
Representative**



Date



Date

COPIES TO: _____