

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: A+ ACADEMY	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 9/16/2026
Facility Address: 2015 28TH AVENUE, TUSCALOOSA, AL 35401, Tuscaloosa	Licensee: A+ ACADEMY CHILDCARE NETWORK LLC	Telephone #: (205) 701-5437
Ages: 6 Weeks to 12 Years	Director (if applicable): ERICA WILLIAMS	Capacity: 90 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: incomplete	Pending Correction
Failed - Records on file at time of employment, Inspection Form Comments: incomplete	Pending Correction
Failed - Medical exam and TB test on file at time of employment, Inspection Form Comments: One staff	Pending Correction
Failed - Two staff with infant-child CPR and first aid present during all hours of operation, Inspection Form Comments: one staff	Pending Correction
Failed - Suitability Determination (Every 5 years), Staff Checklist Comments: expired	Pending Correction
Failed - Medical, Staff Checklist Comments: expired	Pending Correction
Failed - Preadmission Form, Child Checklist Comments: incomplete	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before

_____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Signature of Facility Representative

Date

BRANDUL PERINE

Signature of DHR Licensing Representative

Date

COPIES TO: _____