

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A - IDENTIFYING INFORMATION

Facility Name: MY KIDS 2 CHILD CARE CENTER	Type of Facility : Center ☒ Day ☒ OST ☐ Night ☐ Family ☐ University ☐ Group ☐	Date of Visit: 9/17/2026
Facility Address: 3730 NORMAN BRIDGE ROAD, MONTGOMERY, AL 36105, Montgomery	Licensee: VANESSA BALL	Telephone #: (334) 593-2351
Ages: 2 Weeks to 13 Years	Director (if applicable): VANESSA BALL	Capacity: 30 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
PHYSICAL RESTRAINT, Allegation Comments: On 9-17-2026 Per staff statement and video footage a child 2.5 yrs old is restrained in a feeding chair to sleep on 9-11-2026.	Pending Correction
SUPERVISION AT ALL TIMES, Allegation Comments: On 9-17-2026 Per staff statement and video footage a child 2.5 yrs old is restrained in a feeding chair to sleep on 9-11-2026 unsupervised in a restroom.	Pending Correction
There is no indoor child safe thermometer working in any of the four classrooms at the center., Ad Hoc Comments: NA	Pending Correction <i>mt 9/17/26</i>
There is a staff at the center with no file., Ad Hoc Comments: NA	Pending Correction
There are vines and weeds protruding the fenceline on the playground., Ad Hoc Comments: NA	Pending Correction

--

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 10-01-2026, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Vanessa R. Bell
Signature of Facility Representative

09-17-26
Date

KAMILLA CROWELL
Kamilla Crowell
Signature of DHR Licensing Representative

9-17-2026
Date

COPIES TO: director