

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: TOWER LEARNING CENTER	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 9/17/2026
Facility Address: 2165 OLD SPRINGVILLE ROAD, BIRMINGHAM, AL 35215, Jefferson	Licensee: STEPHEN WASHINGTON	Telephone #: (205) 854-1777
Ages: 6 Weeks to 12 Years	Director (if applicable):	Capacity: 30 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - For toddlers, clean bottom sheets and top coverings weekly, more often if needed, Inspection Form Comments: Top and bottom sheets missing in both toddler rooms.	9/17/2026
Failed - Cots cleaned and clean bottom sheets and top sheet/covers provided before used by another child, Inspection Form Comments: Top and bottom sheets missing.	9/17/2026
Failed - Transportation checklists used as required, Inspection Form Comments: Did not have access to transportation files on day of visit. 8/13/26	9/17/2026
Failed - Designated staff complete and sign checklist, Inspection Form Comments: Did not have access to transportation files on day of visit. 8/13/26	Pending Correction
Failed - Driver signs checklist, indicating he/she has checked each seat, Inspection Form Comments: Did not have access to transportation files on day of visit. 8/13/26	9/17/2026

Failed - Vehicle safety check done annually, signed by certified mechanic, dated, and filed in center, Inspection Form Comments: Did not have access to transportation files on day of visit. 8/13/26	9/17/2026
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: Center not in Pathways.	Pending Correction
Failed - Most recent fire inspection report within 5 years, Inspection Form Comments: Expired	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: Missing	Pending Correction
Failed - Preadmission Form, Child Checklist Comments: Missing page 2	9/17/2026
Failed - Written schedule posted with 60-90 minutes of active play, Classroom Checklist / After school Care Comments: Missing	9/17/2026
Weeds on playground 1. , Ad Hoc Comments: NA	9/17/2026
Standing water in sand table and wagon on playground 2. , Ad Hoc Comments: NA	8/13/2026
Broken wagon with sharp edge on playground 2. , Ad Hoc Comments: NA	8/13/2026
Slide on playground 2 on hill. , Ad Hoc Comments: NA	8/13/2026
Food not eaten from dish during lunch in the infant room. 9/17/26, Ad Hoc Comments: NA	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 10/1/26, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Signature of Facility Representative

ARIANN CHARITY

Date

9/17/26

Signature of DHR Licensing Representative

Date

COPIES TO: _____