

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: HIGHLANDS UNITED METHODIST CHU. CDC	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 9/17/2026
Facility Address: 1045 20TH STREET SOUTH, BIRMINGHAM, AL 35205, Jefferson	Licensee: HIGHLANDS UNITED METHODIST CHURCH	Telephone #: (205) 933-0230
Ages: 6 Weeks to 5 Years	Director (if applicable):	Capacity: 121 , NA Day Night


SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
CRIBS, COTS, AND BEDDING, Allegation Comments: Per staff statement, when infants fall asleep, they are put to sleep on a boppy.	Pending Correction
RATIOS MAINTAINED, Allegation Comments: The department representative observed (12) 2 1/2yrs - 3yrs olds in a classroom with 1 staff.	Pending Correction
ROUGH OR HARSH HANDLING, Allegation Comments: Per staff statement infant 5m-9m are picked up by their arms.	Pending Correction
SUPERVISION AT ALL TIMES, Allegation Comments: Per staff statement staff are on their cell phones while being in ratio.	Pending Correction
VERBAL ABUSE , Allegation Comments: Per staff statement staff threatened children with physical harm.	Pending Correction
The outside door was propped open while staff took out the trash., Ad Hoc Comments: NA	Pending Correction
The playground gate was not closed and secured. , Ad Hoc Comments: NA	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility

representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 9/24/26, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.


Signature of Facility Representative

JOY FRAZIER

9/17/2024
Date

9/17/26

Signature of DHR Licensing Representative

Date

COPIES TO: Director