

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: LA PETITE ACADEMY	Type of Facility : Center ☒ Day ☒ OST ☐ Night ☐ Family ☐ University ☐ Group ☐	Date of Visit: 9/18/2026
Facility Address: 5198 VALLEYDALE ROAD, BIRMINGHAM, AL 35242, Shelby	Licensee: LA PETITE ACADEMY, INC	Telephone #: (205) 991-5391
Ages: 6 Weeks to 12 Years	Director (if applicable): JENNIE MASON	Capacity: 138 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
CORPORAL/PHYSICAL PUNISH, Allegation Comments: Per witness statment.	Pending Correction
FOOD, Allegation Comments: Per witness statement.	Pending Correction
ROUGH OR HARSH HANDLING, Allegation Comments: Per witness statement.	Pending Correction
6/11/2026 The toddlers room 1 and twos room did not have hazardous substances under lock and key (disinfectant spray and dish soap)., Ad Hoc Comments: NA	6/11/2026
The air is not working in the 18 months- 2 1/2 classroom or in the 24- 36 month classroom., Ad Hoc Comments: NA	9/18/2026
A pipe burst in the 3- 3 1/2 year old classroom., Ad Hoc Comments: NA	8/31/2026

There are portable AC units without protective barriers in the 18 months- 9/18/2026
2 1/2-year classroom and in the 24-36 month classroom., Ad Hoc
Comments: NA

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 10/2/2026, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative
LEANNA TOWERY

9/18/2026

Date

Signature of DHR Licensing Representative

9/18/2026

Date

COPIES TO: director