

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: ALL ABOUT KIDS	Type of Facility : Home [] Day [X] OST [] Night [] Family [] University [] Group [X]	Date of Visit: 9/22/2026
Facility Address: 344 COUNTY ROAD 354, TRINITY, AL 35673, Lawrence	Licensee: PAULA TERRY RANDOLPH	Telephone #: (256) 566-0700
Ages: 6 Weeks to 10 Years	Director (if applicable): N/A	Capacity: 12 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - By August 1 2022 all home staff including licensee/substitutes/assistant caregivers must enroll in Alabama Pathways Professional Development Registry, Inspection Form Comments: Staff's annual trainings are not complete	Pending Correction
Failed - Infant -Child CPR Certification, Staff Checklist Comments: expired	Pending Correction
Failed - Infant -Child First Aid Certificate, Staff Checklist Comments: expired	Pending Correction
Failed - CA/N Clearance Form (Every Five Years), Staff Checklist Comments: Expired	Pending Correction
Failed - Infant -Child CPR Certification, Staff Checklist Comments: expired	Pending Correction
Failed - Infant -Child First Aid Certificate, Staff Checklist Comments: expired	Pending Correction

Failed - Ongoing Training, Staff Checklist Comments: expired	Pending Correction
Failed - Health and Safety Training, Staff Checklist Comments: expired	Pending Correction
Failed - Medical, Staff Checklist Comments: expired	Pending Correction
Failed - Infant -Child CPR Certification, Staff Checklist Comments: expired	Pending Correction
Failed - Infant -Child First Aid Certificate, Staff Checklist Comments: expired	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: expired	Pending Correction
Failed - Health and Safety Training, Staff Checklist Comments: expired	Pending Correction
Failed - Medical, Staff Checklist Comments: expired	Pending Correction
Failed - Infant -Child CPR Certification, Staff Checklist Comments: expired	Pending Correction
Failed - Infant -Child First Aid Certificate, Staff Checklist Comments: expired	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: expired	Pending Correction
Failed - Health and Safety Training, Staff Checklist Comments: expired	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: expired	Pending Correction
Failed - Health and Safety Training, Staff Checklist Comments: expired	Pending Correction

--

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 10/06/2026, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Paula Randolph

Signature of Facility Representative

9-22-2026

Date

Rolanda Nelson

Signature of DHR Licensing Representative

09/22/2026

Date

COPIES TO: Paula Randolph