ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: BESSEMER ACADEMY PRE-SCHOOL/DAYCARE	Type of Facility : Center [X] Day [X] OST [ ] Night [ ] Family [ ] University [ ] Group [ ]	Date of Visit: 9/15/2026
Facility Address: 1705 4TH AVENUE, SW, BESSEMER, AL 35022, Jefferson	Licensee: FAITH BAPTIST BIBLE COLLEGE, INC.	Telephone #: (205) 426-9842
Ages: 3 Years to 12 Years	Director (if applicable): PAIGE TURK	Capacity: 105 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency ***HAZARDS MUST BE CORRECTED IMMEDIATELY****	**Date Corrected by Licensee**
Deficiency Summary	
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: Some staff are missing in the Alabama Pathways Registry.	9/8/2026
Failed - Most recent fire inspection report within 5 years, Inspection Form Comments: Missing	8/27/2026
Failed - Suitability Determination (Every 5 years), Staff Checklist Comments: Expired	8/21/2026
Failed - Health and Safety Training, Staff Checklist Comments: Missing	9/8/2026
Failed - Suitability Determination (Every 5 years), Staff Checklist Comments: Expired	9/15/2026
Failed - Suitability Determination (Every 5 years), Staff Checklist Comments: Expired	9/8/2026

Failed - Medical, Staff Checklist Comments: Expired	9/23/2026
Failed - Health and Safety Training, Staff Checklist Comments: Missing	9/15/2026
Failed - Medical, Staff Checklist Comments: Missing	9/23/2026
Failed - Health and Safety Training, Staff Checklist Comments: Missing	9/8/2026
Failed - Health and Safety Training, Staff Checklist Comments: Missing	9/8/2026
Failed - TB Test Date and Results, Staff Checklist Comments: Missing	9/23/2026
Failed - Health and Safety Training, Staff Checklist Comments: Missing	9/8/2026
Failed - Health and Safety Training, Staff Checklist Comments: Missing	9/8/2026
Failed - Immunization Certificate, Child Checklist Comments: Missing	8/7/2026
Failed - Preadmission Form, Child Checklist Comments: Missing	9/15/2026
Failed - Preadmission Form, Child Checklist Comments: Missing information	9/15/2026
Failed - Immunization Certificate, Child Checklist Comments: Missing	8/27/2026
Failed - Immunization Certificate, Child Checklist Comments: Expired	8/27/2026
Failed - Preadmission Form, Child Checklist	9/15/2026

Comments: Missing information

Failed - Immunization Certificate, Child Checklist 8/27/2026
Comments: Expired

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

_____ _____
Signature of Facility Representative Date

ARIANN CHARITY **9/23/26**

_____ _____
Signature of DHR Licensing Representative Date

COPIES TO: _____