

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: WOODLAND PARK CHRISTIAN LEARNING CENTER	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 9/23/2026
Facility Address: 1800 MARTIN LUTHER KING, JR. BIRMINGHAM, AL 35211, Jefferson	Licensee: WOODLAND PARK CHURCH OF CHRIST	Telephone #: (205) 250-1488
Ages: 6 Weeks to 5 Years	Director (if applicable): BRANDI MOSS	Capacity: 86 / NA Day Night


SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
Failed - 2 ½ years up to 4 years 1 to 11, Inspection Form Comments: On 9/23/26, the preschool classroom was out of ratio.	Pending Correction
Failed - Children younger than 2 ½ grouped separately, Inspection Form Comments: On 9/23/26, children younger than 2 1/2 were grouped with children over 2 1/2.	Pending Correction
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: On 9/23/26, all staff were not enrolled in Alabama Pathways.	Pending Correction
Failed - Health and Safety Training, Staff Checklist Comments: On 9/23/26, the health and safety trainings were expired.	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the

Department of Human Resources on or before 10/7/26, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative

9/23/26

Date

AJOIA MCGHEE

9/23/26

Signature of DHR Licensing Representative

Date

COPIES TO: Center