

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: NEXT LEVEL LEARNING CENTER	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 9/25/2026
Facility Address: 1053 E Selma Street , Dothan , AL 36301, Houston	Licensee: NEXT LEVEL LEARNING CENTER	Telephone #: (334) 718-5785
Ages: 6 Months to 12 Years	Director (if applicable): DERRICK TILLER	Capacity: 48 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
LIGHTING , Allegation Comments:	Pending Correction
There werre 7 children sleeping in one room the youngest being 1 1/2 and the oldest turning 6 on 10/1/26. This was mixed age groups., Ad Hoc Comments: NA	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before October 7, 2026, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Signature of Facility Representative

Date

JAY DALTON

9/21/26

Signature of DHR Licensing Representative

Date

COPIES TO: _____