

**ALABAMA DEPARTMENT OF HUMAN RESOURCES**  
**CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A- IDENTIFYING INFORMATION**

|                                                                     |                                                                                                                   |                                        |
|---------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Facility Name:<br>CAHABA MEDICAL CARE EARLY<br>LEARNING             | Type of Facility : Center [X]<br>Day [X]      OST [ ]<br>Night [ ]      Family [ ]<br>University [ ]<br>Group [ ] | Date of Visit:<br>9/24/2026            |
| Facility Address:<br>217 QUAIL LANE, CENTREVILLE, AL<br>35042, Bibb | Licensee:<br>CAHABA MEDICAL CARE                                                                                  | Telephone #:<br>(205) 293-4673         |
| Ages:<br>6 Weeks to 6 Years                                         | Director (if applicable):<br>JESSICA KINARD                                                                       | Capacity:<br>28 / NA<br>Day      Night |

**SECTION B - DEFICIENCY INFORMATION**

| <u>Performance Standard Deficiency</u><br><i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>                                                                           | Date Corrected by<br>Licensee |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| <b>Deficiency Summary</b>                                                                                                                                         |                               |
| SUPERVISION AT ALL TIMES, Allegation<br>Comments: Per multiple witness statements on 09/09/2026, staff are allowed to use cell phones and laptops during naptime. | Pending Correction            |
| 09/09/2026, In the kitchen area, there is dish detergent not under lock and key or combination lock., Ad Hoc<br>Comments: NA                                      | 9/24/2026                     |
| 09/09/2026, In the infant room, there are two (2) four (4) month old infants asleep in an infant sleeping bag/sack causing restraints., Ad Hoc<br>Comments: NA    | 9/24/2026                     |
| 09/09/2026, In the infant room, the milk containers/bottles are not labeled with the child's name., Ad Hoc<br>Comments: NA                                        | 9/24/2026                     |
| 09/09/2026, In the infant room, the lightening is not adequate for the infants to be completely seen during naptime., Ad Hoc<br>Comments: NA                      | 9/24/2026                     |

|                                                                                                                                                                                   |           |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| 09/09/2026 In the infant room, there is medication (Destin & Cough),<br>lysol, shaving cream not under lock & key or combination lock., Ad Hoc<br>Comments: NA                    | 9/24/2026 |
| 09/09/2026, In the infant room, the Authorization of Medication form is<br>missing a date., Ad Hoc<br>Comments: NA                                                                | 9/24/2026 |
| 09/09/2026, In the preschool classroom, there is an unlabeled spray<br>bottle., Ad Hoc<br>Comments: NA                                                                            | 9/24/2026 |
| 09/09/2026, In the preschool classroom, there is two(2) cans of lysol not<br>under lock & key or combination., Ad Hoc<br>Comments: NA                                             | 9/24/2026 |
| 09/09/2026, The employee restroom is not locked which contains lysol,<br>disinfectant wipes and other items which say "KEEP OUT OF REACH<br>OF CHILDREN.", Ad Hoc<br>Comments: NA | 9/24/2026 |
| 09/09/2026, The menu for meals and snacks are not posted., Ad Hoc<br>Comments: NA                                                                                                 | 9/24/2026 |

**INSTRUCTIONS TO LICENSEE:** Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 10/08/2026, as verification that deficiencies have been corrected.

**NOTICE:** Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Jessica Kinard  
\_\_\_\_\_  
*Signature of Facility Representative*

9/24/2026  
\_\_\_\_\_  
Date

LEANNA TOWERY  
\_\_\_\_\_  
*Signature of DHR Licensing Representative*

9/24/2026  
\_\_\_\_\_  
Date

COPIES TO: director