

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: BRENDA'S PREPARATORY SCHOOL & NT	Type of Facility : Center [X] Day [X] OST [] Night [X] Family [] University [] Group []	Date of Visit: 9/24/2026
Facility Address: 1792 HEADLAND AVENUE, DOTHAN, AL 36303, Houston	Licensee: BRENDA GUILFORD	Telephone #: (334) 794-3315
Ages: 6 Weeks to 14 Years/6 Weeks to 14 Years	Director (if applicable): BRENDA GUILFORD	Capacity: 103 / 28 Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - Outdoor play area and equipment are free of apparent hazardous conditions, Inspection Form Comments: There is indoor outdoor carpet flipped up and piled up under the shaded area causing a tripping hazard.	Pending Correction
Failed - Two staff with infant-child CPR and first aid present during all hours of operation, Inspection Form Comments: there is only one staff member with current CPR/first aid.	Pending Correction
Failed - Suitability Determination (Every 5 years), Staff Checklist Comments: expired	Pending Correction
Failed - Medical, Staff Checklist Comments: expired	Pending Correction
Failed - Medical, Staff Checklist Comments: expired	Pending Correction
Failed - Medical, Staff Checklist Comments: expired	Pending Correction

Failed - Medical, Staff Checklist Comments: expired	Pending Correction
Failed - Suitability Determination (Every 5 years), Staff Checklist Comments: expired	Pending Correction
Failed - Medical, Staff Checklist Comments: expired	Pending Correction
Failed - Immunization Certificate, Child Checklist Comments: There was not one.	Pending Correction
Failed - Preadmission Form, Child Checklist Comments: There is no city listed in the addresses.	Pending Correction
Failed - Preadmission Form, Child Checklist Comments: There is not a city listed in the addresses.	Pending Correction
Failed - Preadmission Form, Child Checklist Comments: There is not a city listed in the address.	Pending Correction
Failed - Immunization Certificate, Child Checklist Comments: There is no immunization.	Pending Correction
Failed - Preadmission Form, Child Checklist Comments: There is no city listed in the addresses.	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 10/08/2026, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Signature of Facility Representative

Date

JAY DALTON

9/24/26

Signature of DHR Licensing Representative

Date

COPIES TO: Brenda Guilford