

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: PEACHES-N-CREAM	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 9/24/2026 – 9/25/2026
Facility Address: 14484 BLEDSOE ROAD, ATHENS, AL 35613, Limestone	Licensee: MCDONALD PLAYCARE, INC.	Telephone #: (256) 233-7974
Ages: 6 Weeks to 12 Years	Director (if applicable): SHANNON ABERNATHY	Capacity: 309 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - CA/N Clearance Form (Every Five Years), Staff Checklist Comments: Staff's file is missing Alabama CA/N form.	Pending Correction
Failed - Health and Safety Training, Staff Checklist Comments: Staff's file is missing current health & safety training.	Pending Correction
Failed - Medication locked, Classroom Checklist / F. Weebles 1 Comments: There was medication in a child's bag not locked up.	9/24/2026
Failed - Medication locked, Classroom Checklist / I. Little Tots Comments: There was diaper cream in a child's bag hanging on a hook.	9/24/2026
Failed - Hazardous substances locked, Classroom Checklist / V. PreK 2 OSR Comments: There was hand sanitizer sitting on a shelf.	9/24/2026
On September 24, 2026, there was an infant asleep on the floor in the infant A, B, C classroom., Ad Hoc Comments: NA	9/24/2026

--

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 10/9/2026, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



Signature of Facility Representative

LATONYA JAMES

Signature of DHR Licensing Representative



Date

9/25/2026

Date

COPIES TO: Shannon Abernathy