

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: DUNNAM'S PRIVATE SCHOOL, INC	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 9/18/2026
Facility Address: 811 GLENN ROAD, BESSEMER, AL 35020, Jefferson	Licensee: DUNNAMS PRIVATE SCHOOL INC	Telephone #: (205) 425-4194
Ages: 6 Weeks to 12 Years	Director (if applicable):	Capacity: 132 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary There were no deficiencies noted during today's visit.	
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: On 9/2/26, all staff were not enrolled in Alabama Pathways.	9/28/2026
Failed - Medical, Staff Checklist Comments: On 9/2/26, the medical was expired.	9/9/2026
Failed - Medical, Staff Checklist Comments: On 9/2/26, the medical was expired.	9/17/2026
Failed - Medical, Staff Checklist Comments: On 9/2/26, the medical was expired.	9/21/2026
Failed - Health and Safety Training, Staff Checklist Comments: On 9/2/26, health and safety training hours were missing.	9/21/2026
Failed - Health and Safety Training, Staff Checklist Comments: On 9/2/26, health and safety training hours were missing.	9/16/2026

Failed - Health and Safety Training, Staff Checklist Comments: On 9/2/26, health and safety training hours were missing.	9/16/2026
Failed - Health and Safety Training, Staff Checklist Comments: On 9/2/26, health and safety training hours were missing.	9/22/2026
Failed - Ongoing Training, Staff Checklist Comments: On 9/2/26, ongoing training hours were missing.	9/23/2026
Failed - Health and Safety Training, Staff Checklist Comments: On 9/2/26, health and safety training hours were missing.	9/9/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____ n/a _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Signature of Facility Representative

AJOIA MCGHEE

Date

9/28/26

Signature of DHR Licensing Representative

Date

COPIES TO: ___ Center _____