

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: GOD'S LITTLE ANGELS	Type of Facility : Center [] Day [X] OST [] Night [] Family [X] University [] Group []	Date of Visit: 9/18/2026
Facility Address: 1617 CHATEAU CIRCLE, MONTGOMERY, AL 36106, Montgomery	Licensee: BRIGETTE BRYANT	Telephone #: (334) 430-4042
Ages: 0 Weeks to 5 Years	Director (if applicable):	Capacity: 5 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
All deficiencies corrected through Arise on 09/28/2026.	
Failed - Preadmission Form, Child Checklist Comments: MISSING DOCUMENTATION	9/28/2026
Failed - Preadmission Form, Child Checklist Comments: MISSING DOCUMENTATION	9/28/2026

INSTRUCTIONS TO LICENSEE: Column 2, *Date Corrected by Licensee*, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before N/A, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.


Signature of Facility Representative

09/28/2026
Date

AMY HORN

Signature of DHR Licensing Representative

09/28/2026
Date

COPIES TO: Licensee