

ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: MIDLAND CITY CHILDCARE & ACADEMY. LLC	Type of Facility : Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 9/30/2026
Facility Address: 214 PHILLIP J HAMM DRIVE, MIDLAND CITY, AL 36350, Dale	Licensee: MIDLAND CITY CHILDCARE & ACADEMY, LLC	Telephone #: (334) 873-4285
Ages: 6 Weeks to 12 Years	Director (if applicable): AMY PRITCHETT	Capacity: 60 NA Day Night


SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Completed through ARISE 9/3.26	
Failed - Outdoor play area and equipment are free of apparent hazardous conditions, Inspection Form Comments: On the preschool playground the bouncy see saw has the nails poking up and is movable when the children are bouncing on it.	9/30/2026
Failed - Outdoor play area free of apparent hazardous conditions:., Inspection Form Comments: On the preschool playground the back fence has a bow in one of the wood pieces. It is large enough for a child to put their hands through.	9/29/2026
Failed - Medication administered only with written authorization from parent and child's health professional. Inspection Form Comments: There are children without health professional authorization but have a medical form..	9/28/2026
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: Not all staff are registered in Alabama Pathway registry.	9/28/2026

Failed - Medical, Staff Checklist Comments: Expired	9/28/2026
Failed - Immunization Certificate, Child Checklist Comments: expired	9/28/2026
Failed - Preadmission Form, Child Checklist Comments: There are no addresses.	9/28/2026
Failed - Preadmission Form, Child Checklist Comments: Wrong preadmission form and there are no parent signatures on the back page.	9/28/2026
Failed - Furniture child size, clean, good condition, Classroom Checklist / 0 to 18 months Comments: There are 2 torn crib mattress.	10/1/2026
Failed - Furniture child size, clean, good condition. Classroom Checklist / 18 months to 36 months Comments: One of the children's toilets has a cracked lid on the back of the toilet.	9/30/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before Compliance, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.


Signature of Facility Representative

JAY DALTON

Signature of DHR Licensing Representative

9-30-26

Date

9/30/26

Date

COPIES TO: _____