ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: JUMP START ACADEMY	Type of Facility : Center [ ] Day [X] OST [ ] Night [X] Family [X] University [ ] Group [ ]	Date of Visit: 10/2/2026
Facility Address: 3750 LINDA ANN DR, MILLBROOK, AL 36054, Elmore	Licensee: EBONY BELL	Telephone #: (334) 318-8642
Ages: 6 Weeks to 12 Years/6 Weeks to 12 Years	Director (if applicable):	Capacity: 5 / 5 Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency ***HAZARDS MUST BE CORRECTED IMMEDIATELY****	**Date Corrected by Licensee**
Deficiency Summary Failed - Infant -Child CPR Certification, Staff Checklist Comments: Provider is waiting to receive certificate from sub.	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____10/16/2026_____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

_____Ebony Bell_____ _____10/02/2026_____
Signature of Facility Representative Date

Natalie Sumrall
_____ ____10/02/2026_____
Signature of DHR Licensing Representative Date

COPIES TO: _____Licensee_____