

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: RIGHT TRACK PRESCHOOL	Type of Facility: Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 04/15/2025
Facility Address: 161 FLOYD AVE, OZARK, AL, 36360, Dale	Licensee: OZARK HOUSING COMMUNITY	Telephone #: (334) 443-0155
Ages: 4 Years to 5 Years	Director (if applicable): DANNIE WALKER	Capacity: 18 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency HAZARDS MUST BE CORRECTED IMMEDIATELY*	Date Corrected by Licensee
Deficiency Summary	
<p>The kitchen was unlocked and hazardous materials under the sink and on the laundry detergent was on top of the washer and all were not under lock and key., Ad Hoc Comments: NA</p> <p>The playground had multiple active ant beds., Ad Hoc Comments: NA</p>	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Lisa Mike

4/15/25

Signature of Facility Representative

Date

Jay Dalton

4/15/25

Signature of DHR Licensing

Date

Representative

COPIES TO: _____