ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: ARDENT PRESCHOOL REDSTONE	Type of Facility : Center [X] Day [X] OST [ ] Night [ ] Family [ ] University [ ] Group [ ]	Date of Visit: 10/6/2026
Facility Address: 2400 RIDEOUT RD SW, HUNTSVILLE, AL 35808, Madison	Licensee: ARDENT PRESCHOOL REDSTONE, LLC	Telephone #: (256) 837-5437
Ages: 6 Weeks to 6 Years	Director (if applicable): JOHN LABRECHE	Capacity: 287 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency ***HAZARDS MUST BE CORRECTED IMMEDIATELY****	**Date Corrected by Licensee**
Deficiency Summary On October 06, 2026, there were no new deficiencies noted.	
Failed - Medications and drugs kept under lock and key or combination lock, separate from harmful items, Inspection Form Comments: On June 25, 2026, in the pre-k 1 classroom, there was sunscreen stored in the same cabinet where cleaning products are stored.	7/1/2026
Failed - Outdoor play area free of apparent hazardous conditions:, Inspection Form Comments: There is a pile of bird poop located on the outdoor entrance area near the preschool playground.	7/22/2026
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: On June 25, 2026, some staff does not have the training uploaded in Alabama Pathways.	8/19/2026
Failed - Medical, Staff Checklist Comments: On June 25, 2026, staff's file is missing the medical form.	7/13/2026
Failed - Ongoing Training, Staff Checklist Comments: On June 25, 2026, staff's file is missing eleven hours ongoing	7/1/2026

training.	
Failed - Health and Safety Training, Staff Checklist Comments: On June 25, 2026, staff's file is missing current health & safety training.	7/1/2026
Failed - Ongoing Training, Staff Checklist Comments: On June 25, 2026, staff's file is missing current ongoing training hours.	7/27/2026
Failed - Health and Safety Training, Staff Checklist Comments: On June 25, 2026, staff's file is missing current health & safety training.	7/1/2026
Failed - Medical, Staff Checklist Comments: On June 25, 2026, staff's file is missing current medical form.	7/1/2026
Failed - Medical, Staff Checklist Comments: On June 25, 2026, staff's medical expired 5/23/2026.	7/1/2026
Failed - Medication locked, Classroom Checklist / Explorers A Comments: On June 25, 2026, there was A & D ointment stored in a clear plastic container on the shelf in the bathroom.	7/1/2026
Per staff written statements and video footage, on May 4, 2026, a four (4) year old child in the pre-k one (1) classroom was left on the playground unsupervised for approximately six (6) minutes., Ad Hoc Comments: NA	6/29/2026
On June 18, 2026, per staff written statements and video footage, on June 11, 2026, a staff in the Toddler A classroom grabbed a thirty-one-month-old child's chin to redirect his attention., Ad Hoc Comments: NA	Pending Correction
On June 18, 2026, per video footage, on June 11, 2026, a staff in the Toddler A classroom threatened a thirty-one-month-old child to take away outside time due to his inappropriate behavior., Ad Hoc Comments: NA	Pending Correction
On June 18, 2026, per video footage, on June 11, 2026, a staff in the Toddler A classroom, grabbed a twenty-six-month-old child by the arm multiple times yanking the child in the chair and forcing the child to the floor on one occasion., Ad Hoc Comments: NA	Pending Correction

On June 18, 2026. per video footage, on June 11, 2026, a staff in the Toddler A classroom forcefully yanked a thirty-month-old child from the carpet and dropped him on the floor near the table., Ad Hoc Comments: NA	Pending Correction
On June 18, 2026, per video footage, on June 11, 2026, a staff in the Toddler A classroom, roughly grabbed and yanked a twenty-seven-month-old child and pulled him toward her, Ad Hoc Comments: NA	Pending Correction
On June 18, 2026, per video footage, on June 11, 2026, a staff in the Toddler A classroom was heard yelling on multiple occasions "stop, sit down, stop spitting , don't tell me no and say yes ma'am"., Ad Hoc Comments: NA	Pending Correction
On June 18,2026, the facility failed to notify the Department within twenty four hours of two incidents of rough and harsh handling that occurred on June 11, 2026., Ad Hoc Comments: NA	Pending Correction
VERBAL ABUSE , Allegation Comments: Per video footage, on March 12, 2026, a staff in the 18-to-24 month (explorers A) classroom was observed yelling at several children., Ad Hoc Comments: NA	Pending Correction
There was cleaning product in a spray bottle in the hallway sitting in the cubby area where car seats are stored., Ad Hoc, Ad Hoc Comments: NA	3/18/2026
There was hand sanitizer on the counter, near the sink area in the 14 to 18 month (wobbler A) classroom., Ad Hoc , Ad Hoc Comments: NA	3/18/2026
Per video footage, on March 4, 2026, a twenty-three-month-old child in the 18-to-24-month (explores) classroom elbow was dislocated by a staff while on the playground., Ad Hoc, Ad Hoc Comments: NA	5/19/2026
ROUGH OR HARSH HANDLING, Allegation Comments: On June 18, 2026, per staff written statements and video footage, on June 11, 2026, a twenty-six-month-old child in the toddler A classroom, was kicked by a staff., Ad Hoc Comments: NA	Pending Correction
On June 18, 2026, in the pre-k 1 classroom there was an uncover outlet.,	6/25/2026

Ad Hoc, Ad Hoc Comments: NA	
On June 18, 2026, in the infant 2A classroom there was an uncovered outlet., Ad Hoc, Ad Hoc Comments: NA	6/25/2026
On June 18, 2026, the gate latch between the splash pad leading the courtyard is damaged., Ad Hoc, Ad Hoc Comments: NA	6/25/2026
On June 18, 2026, the artificial turf in the splash pad area has pulled away from the strip board exposing staples, bolts and rotten wood., Ad Hoc, Ad Hoc Comments: NA	6/25/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before __10/20/2026_____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Ebony Meade _____ 10/06/2026 _____

Signature of Facility Representative Date

LATONYA JAMES

_____ **10/06/2026**

Signature of DHR Licensing Representative Date

COPIES TO: __Ebony Meade_____