ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: BRIGHT BEGINNINGS CHILD DEVELOPMENT CTR	Type of Facility : Center [X] Day [X] OST [ ] Night [ ] Family [ ] University [ ] Group [ ]	Date of Visit: 10/7/2026
Facility Address: 1031 PINE STREET, KILLEN, AL 35645, Lauderdale	Licensee: BRIGHT BEGINNINGS LLC	Telephone #: (256) 757-0028
Ages: 3 Weeks to 12 Years	Director (if applicable): CYNTHIA TAYLOR	Capacity: 84 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency ***HAZARDS MUST BE CORRECTED IMMEDIATELY****	**Date Corrected by Licensee**
Deficiency Summary There were no deficiencies noted during today's visit.	
Failed - Center free of apparent hazards, Inspection Form Comments: In the pre-k classroom, a staff's purse was sitting in a chair.	9/4/2026
Failed - Changing area cleaned and disinfected, Inspection Form Comments: In the infant classroom, a staff did not disinfect the changing area after changing a child's diaper.	9/14/2026
Failed - No blanket authorization forms for medication, Inspection Form Comments: There was a blanket medical form in the in the three (3) year old classroom.	9/15/2026
Failed - By August 1, 2022, director/all teachers/substitutes/all service staff must be enrolled in the Alabama Pathway's Professional Development Registry, Inspection Form Comments: Staff training is not in Alabama Pathways.	9/28/2026
Failed - Suitability Determination (Every 5 years), Staff Checklist Comments: Staff's current suitability letter is not on file.	9/17/2026
Failed - TB Test Date and Results, Staff Checklist	9/14/2026

Comments: Staff's TB test Date Results is not in the file.	
Failed - CA/N Clearance Form (Every Five Years), Staff Checklist Comments: Staff does not have a CA/N on file.	10/7/2026
Failed - Suitability Determination (Every 5 years), Staff Checklist Comments: Staff does not have a suitability letter on file.	10/7/2026
Failed - Health and Safety Training, Staff Checklist Comments: Staff does not have health & safety training on file.	9/14/2026
Failed - Hazardous substances locked, Classroom Checklist / Toddler 3 Comments: There was disinfecting cleaner in a spray bottle sitting on a shelf.	9/4/2026
Failed - Containers labeled, Classroom Checklist / Toddler 3 Comments: There was disinfecting cleaner in an unlabeled spray bottle sitting on a shelf.	9/4/2026
On September 4, 2026, in the infant classroom, an infant was observed swaddled lying in a crib., Ad Hoc Comments: NA	9/4/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _N/A_____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Jennifer Jeffcoat
Signature of Facility Representative

10/7/26
Date

LATONYA JAMES
Signature of DHR Licensing Representative

10/7/2026
Date

COPIES TO: __Jennifer Jeffcoat_____