ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name:	Type of Facility : Center [X]	Date of Visit:
TRUE LIGHT COMMUNITY CHURCH DAYCARE	Day [X] OST [ ] Night [ ] Family [ ] University [ ] Group [ ]	10/7/2026
Facility Address: 900 MAIN AVENUE, SYLACAUGA, AL 35150, Talladega	Licensee: TRUE LIGHT COMMUNITY CHURCH DAYCARE	Telephone #: (256) 249-3444
Ages: 6 Weeks to 12 Years	Director (if applicable):	Capacity: 29 , NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency ***HAZARDS MUST BE CORRECTED IMMEDIATELY****	**Date Corrected by Licensee**
Deficiency Summary No deficiencies noted at the time of visit	

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 10/21/26 **, as verification that deficiencies have been corrected.**

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Stephanie Robinson — 10/7/26

Signature of Facility Representative — Date

BRIDGETTE SMITH — 10/7/26

Signature of DHR Licensing Representative — Date

COPIES TO: Director