ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: SPRINGHILL BRIGHT BEGINNINGS LLC	Type of Facility : Center [X] Day [X] OST [ ] Night [X] Family [ ] University [ ] Group [ ]	Date of Visit: 10/7/2026
Facility Address: 701 West Interstate 65 Service Road North, Mobile, AL 36608, Mobile	Licensee: SPRINGHILL BRIGHT BEGINNINGS LLC	Telephone #: (251) 340-1205
Ages: 6 Weeks to 17 Years/6 Weeks to 17 Years	Director (if applicable):	Capacity: 92 / 92 Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency ***HAZARDS MUST BE CORRECTED IMMEDIATELY****	**Date Corrected by Licensee**
Deficiency Summary	
On 10/07/26, in Preschool classroom, the cleaning spray was not under lock and key and combination lock. , Ad Hoc Comments: NA	10/7/2026
On 10/07/26, the outside windows in the Preschool classroom were open and did not have a screen. , Ad Hoc Comments: NA	10/7/2026
On 10/07/26, the outside windows in the Toddlers classroom were open and did not have a screen. , Ad Hoc Comments: NA	10/7/2026
On 10/07/26, in the Wobblers classroom, hazardous chemicals were not under lock and key or combination lock. , Ad Hoc Comments: NA	10/7/2026
On 10/07/26, in the Wobblers classroom, staff purses were not under lock and key or combination lock. , Ad Hoc Comments: NA	10/7/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____N/A_____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Alicia Whigham — 10/07/26

Signature of Facility Representative — Date

LaDanika York — **10/07/26**

Signature of DHR Licensing Representative — Date

COPIES TO: ____Facility_____