

**ALABAMA DEPARTMENT OF HUMAN RESOURCES  
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

**SECTION A- IDENTIFYING INFORMATION**

|                                                                          |                                                                                                                                               |                                                            |
|--------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------|
| Facility Name:<br>LITTLE PEOPLES CHILD CARE                              | Type of Facility : Center [ ]<br>Day [X]                      OST [ ]<br>Night [X]                  Family [ ]<br>University [ ]<br>Group [X] | Date of Visit:<br>9/30/2026                                |
| Facility Address:<br>19 FAIRFAX AVENUE, BESSEMER,<br>AL 35020. Jefferson | Licensee:<br>ANTHONY WILLIAMS                                                                                                                 | Telephone #:<br>(205) 565-7062                             |
| Ages:<br>0 Weeks to 13 Years/0 Weeks to 13 Years                         | Director (if applicable):<br>N/A                                                                                                              | Capacity:<br>12            /    12<br>Day            Night |

**SECTION B - DEFICIENCY INFORMATION**

| <b>Performance Standard Deficiency<br/>HAZARDS MUST BE CORRECTED IMMEDIATELY*</b>                                                                              | <b>Date Corrected by<br/>Licensee</b> |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
| <b>Deficiency Summary</b>                                                                                                                                      |                                       |
| All deficiencies corrected 10/07/2026.                                                                                                                         |                                       |
| Failed - Preadmission Form, Child Checklist<br>Comments: On 07/30/2026, the child's preadmission form is incomplete.                                           | 8/13/2026                             |
| Failed - Preadmission Form, Child Checklist<br>Comments: On 07/30/2026, the child's preadmission form is incomplete.                                           | 8/13/2026                             |
| Failed - Preadmission Form, Child Checklist<br>Comments: On 07/30/2026, the child's preadmission form is incomplete.                                           | 8/13/2026                             |
| On 09/04/2026, a staff member does not have the required suitability letter. The staff member's suitability letter expired 08/03/2026., Ad Hoc<br>Comments: NA | 9/30/2026                             |
| On 09/30/2026, the new substitute is not enrolled in the Alabama Pathway's Registry, Ad Hoc<br>Comments: NA                                                    | 10/7/2026                             |
| On 09/30/2026, the new substitute's staff application is incomplete., Ad Hoc<br>Comments: NA                                                                   | 10/7/2026                             |

Rec'd by email 10/09/2026  
RBB

|  |
|--|
|  |
|--|

**INSTRUCTIONS TO LICENSEE:** Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before N/A, as verification that deficiencies have been corrected.

**NOTICE:** Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

Anthony Williams  
Signature of Facility Representative

10/07/2026  
Date

ROBIN BUSSIE

Signature of DHR Licensing Representative

10/07/2026  
Date

COPIES TO: Licensee