ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: ANOTHER MOTHER'S LOVE LEARNING CTR LLC	Type of Facility:Center [X] Day [X] OST [ ] Night [ ] Family [ ] University [ ] Group [ ]	Date of Visit: 04/16/2025
Facility Address: 118 HILLSIDE DRIVE, DALEVILLE, AL 36322, Dale	Licensee: Another Mother's Love LLC	Telephone #: (334) 709-4141
Ages: 4 Weeks to 12 Years	Director (if applicable): VALERIE Montise TERRY	Capacity: 30 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency ***HAZARDS MUST BE CORRECTED IMMEDIATELY****	**Date Corrected by Licensee**
Deficiency Summary The wood on the outside patio table is broken and splintered., Ad Hoc Comments: NA	**We threw in the trash.** **04/16/25** **Valerie Terry**

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form
must be returned to the Department of Human Resources on or before _____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of
Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

ValerieTerry_____04/16/25_____
Signature of Facility Representative Date

Jay Dalton

_____ _____

Signature of DHR Licensing Representative Date

COPIES TO: _____