ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name:	Type of Facility : Center [X]	Date of Visit:
APPLETREE ACADEMY III	Day [X] OST [ ] Night [ ] Family [ ] University [ ] Group [ ]	10/8/2026
Facility Address:	Licensee:	Telephone #:
2036 MODAUS RD UNIT B, DECATUR, AL 35603, Morgan	APPLETREE ACADEMY, INC.	(256) 580-5902
Ages:	Director (if applicable):	Capacity:
0 Weeks to 13 Years	LYNN MCADAMS	88 Day / NA Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency ***HAZARDS MUST BE CORRECTED IMMEDIATELY****	**Date Corrected by Licensee**
Deficiency Summary	
Failed - Each child under 5 years or weighing less than 40 pounds secured in forward facing child restraint, installed according to manufacturer's instructions, maintained in good condition, Inspection Form Comments: Staff stated and observed booster seats being used for transporting pre-K (4-year-old). There was no convertible seat in the forward-facing position observed.	Pending Correction
Failed - Medical, Staff Checklist Comments: expired	Pending Correction
Failed - CA/N Clearance Form (Every Five Years), Staff Checklist Comments: expired	Pending Correction
Failed - Ongoing Training, Staff Checklist Comments: expired	Pending Correction
Failed - Health and Safety Training, Staff Checklist Comments: expired	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 10/22/26**, as verification that deficiencies have been corrected.**

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of

these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

[signature]	10/8/26
Signature of Facility Representative	Date
LEA RAE GAINES	**10/8/26**
Signature of DHR Licensing Representative	Date

COPIES TO: _____