ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name: SCHOOL FOR AMAZING KIDS, HELENA	Type of Facility : Center [X] Day [X] OST [ ] Night [ ] Family [ ] University [ ] Group [ ]	Date of Visit: 10/6/2026
Facility Address: 5141 HWY 17, HELENA, AL 35080, Shelby	Licensee: SCHOOL FOR AMAZING KIDS HELENA, LLC	Telephone #: (205) 620-9757
Ages: 6 Weeks to 12 Years	Director (if applicable): TONYA CARROLL	Capacity: 150 / 50 Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency ***HAZARDS MUST BE CORRECTED IMMEDIATELY****	**Date Corrected by Licensee**
Deficiency Summary	
ALL DEFICIENCIES CORRECTED THROUGH ARISE ON 10/13/2026.	
Failed - Most recent licensing evaluation, Inspection Form Comments: NOT POSTED	10/6/2026
Failed - Most recent fire inspection report within 5 years, Inspection Form Comments: NOT POSTED	10/12/2026
Failed - Preadmission Form, Child Checklist Comments: MISSING DOCUMENTATION	10/12/2026
Failed - Preadmission Form, Child Checklist Comments: MISSING DOCUMENTATION	10/13/2026
Failed - Preadmission Form, Child Checklist Comments: MISSING DOCUMENTATION	10/13/2026
Failed - Preadmission Form, Child Checklist Comments: MISSING DOCUMENTATION	10/13/2026

Failed - Preadmission Form, Child Checklist Comments: MISSING DOCUMENTATION	10/13/2026
Failed - Preadmission Form, Child Checklist Comments: MISSING DOCUMENTATION	10/13/2026
Failed - Preadmission Form, Child Checklist Comments: MISSING DOCUMENTATION	10/13/2026
Failed - Preadmission Form, Child Checklist Comments: MISSING DOCUMENTATION	10/12/2026

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____N/A_____, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

_____ _____**10/13/2026**_____

Signature of Facility Representative Date

AMY HORN

_____ _____**10/13/2026**_____

Signature of DHR Licensing Representative Date

COPIES TO: ___DIRECTOR_____