ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION

Facility Name:	Type of Facility : Center [X]	Date of Visit:
HIGHLANDS UNITED METHODIST CHU. CDC	Day [X] OST [ ] Night [ ] Family [ ] University [ ] Group [ ]	10/9/2026
Facility Address: 1045 20TH STREET SOUTH, BIRMINGHAM, AL 35205, Jefferson	Licensee: HIGHLANDS UNITED METHODIST CHURCH	Telephone #: (205) 933-0230
Ages: 6 Weeks to 5 Years	Director (if applicable):	Capacity: 121 Day , NA Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency ***HAZARDS MUST BE CORRECTED IMMEDIATELY****	**Date Corrected by Licensee**
Deficiency Summary ROUGH OR HARSH HANDLING, Allegation Comments: Per staff statement, a child was roughly pulled up the stairs by another staff person.	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before n/a, as verification that deficiencies have been corrected.

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.

10/14/24
Signature of Facility Representative — Date

JOY FRAZIER — **10/9/26**

Signature of DHR Licensing Representative — Date