ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT

SECTION A- IDENTIFYING INFORMATION


Facility Name:	Type of Facility : Center [X]	Date of Visit:
HIGHLANDS UNITED METHODIST CHU. CDC	Day [X] OST [ ] Night [ ] Family [ ] University [ ] Group [ ]	10/9/2026
Facility Address:	Licensee:	Telephone #:
1045 20TH STREET SOUTH, BIRMINGHAM, AL 35205, Jefferson	HIGHLANDS UNITED METHODIST CHURCH	(205) 933-0230
Ages:	Director (if applicable):	Capacity:
6 Weeks to 5 Years		121 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

Performance Standard Deficiency ***HAZARDS MUST BE CORRECTED IMMEDIATELY****	Date Corrected by Licensee
Deficiency Summary	
ROUGH OR HARSH HANDLING, Allegation Comments: Per staff statement, a child was roughly rushed up the stairs by a staff member.	Pending Correction
VERBAL ABUSE , Allegation Comments: Per staff statement, a staff member yells at the 24m-36m children.	Pending Correction
CRIES/SIGNS OF DISTRESS, Allegation Comments: Per staff statement a staff member yells at crying 24m-36m toddler to stop crying.	Pending Correction

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before 10/20/26 **, as verification that deficiencies have been corrected.**

NOTICE: Any misleading or any false statements or reports made to the Department and/or failure to correct the listed deficiencies can be the basis for adverse action. None of these requirements are to be interpreted to allow anyone to operate in violation of Performance Standards. A facility licensed by the Department must always meet Performance Standards applicable to that facility. It is the responsibility of the licensee to operate in compliance with Performance Standards.



10/14/26