

**ALABAMA DEPARTMENT OF HUMAN RESOURCES
CHILD CARE PERFORMANCE STANDARDS DEFICIENCY REPORT**

SECTION A- IDENTIFYING INFORMATION

Facility Name: AVALON MONTESSORI SCHOOL	Type of Facility: Center [X] Day [X] OST [] Night [] Family [] University [] Group []	Date of Visit: 05/02/2025
Facility Address: 395 RAY THORINGTON RD, MONTGOMERY, AL 36117, Montgomery	Licensee: SG EDUCATION GROUP INC	Telephone #: (334) 593-1462
Ages: 6 Weeks to 6 Years	Director (if applicable): SONIA CHAUDHURI	Capacity: 60 / NA Day Night

SECTION B - DEFICIENCY INFORMATION

<u>Performance Standard Deficiency</u> <i>HAZARDS MUST BE CORRECTED IMMEDIATELY*</i>	Date Corrected by Licensee
Deficiency Summary	
Failed - Child care workers/teachers/subs meet requirements for Health & Safety training, Inspection Form Comments: One staff person was missing Health and Safety Training	05/05/2025
Failed - Health and Safety Training, Staff Checklist Comments: Staff person is missing Health and safety training	05/05/2025
Failed - Preadmission Form, Child Checklist Comments: no preadmission	05/05/2025
Failed - Preadmission Form, Child Checklist Comments: No preadmission form	05/05/2025

INSTRUCTIONS TO LICENSEE: Column 2, Date Corrected by Licensee, is to be completed by the facility representative after each deficiency is corrected. The facility representative must put the date of correction and his/her initials in Column 2. This form must be returned to the Department of Human Resources on or before _____ n/A _____, as verification that deficiencies have been corrected.